

Scandinavian Design and Quality 25 Years of Standing Desks



Elevating Excellence | ConSet

About ConSet and ergonomics

Ergonomics, Reliability & Innovation – The ConSet Standard

ConSet is a Scandinavian manufacturer of electric height-adjustable desks, celebrating 25 years of innovation. Our desks contribute to productivity, health, and comfort in the workplace. Quality and reliability are the foundation of the engineering process at ConSet.

ConSet is among the pioneers in this field having delivered our first desks in 2000. Since that time, we have invested heavily in product development and production improvements. We boast one of the most comprehensive ranges of desks in the industry and have expert staff to assist you with our fine products.

The new catalog highlights new additions to our smaller desk models and features our current range of all new products. Customization is possible with wire management, casters and battery options provide complete mobility.

We value our relationship with you and thank you for your interest in our products. We maintain ample inventory and a diverse range to accommodate most requirements. Quality, affordability and respect for the environment are the pillars of ConSet and we look forward to serving you.

Thank you for your interest in ConSet. Quality, affordability, and sustainability are at the heart of what we do. With a wide product range in stock, we're ready to meet your needs—now and in the future.

Find your desk height

Scan the QR-code and find the perfect desk to match your height and needs. The ConSet Height Calculator calculates the ideal sitting and standing height based on gender, how tall a person is and the height of their preferred footwear.

The tool can also accommodate shared offices - it uses the height of the tallest and shortest colleague to give the best desk recommendation that can meet the needs of everyone in the office. Check out the tool now!



But remember — the best height is the next height! Alternate between sitting and standing to stay active and get the most out of your desk and day.



LCA and Carbon footprint

Sustainability in Numbers, Not Just Words

ConSet was established in 1999 and has always been an environmentally conscientious company. With our eyes on the future we recognize that the green transition is a reality and we take our responsibility as a manufacturer seriously.

As an innovative engineering company, we rely on quantitative information to actively drive our green initiatives within our operations.

Therefore: ConSet has performed a Life Cycle Assessment (LCA). The work has been carried out by external consultants and TÜV has conducted critical third party reviews. The standard basis is: EN 14040, EN 14044 and EN 14071.

Conset is responsible for the design, development and material specification of our products which allows us to track all processes within our manufacturing operation. This enables us to measure all aspects of our environmental impact.

Our environmental analysis takes into consideration the entire manufacturing process from raw materials all the way through to recycling. All aspects are important but none more so than greenhouse gasses (CO2 emissions) and these details are shared on our website. This is paramount and can be done while providing high quality products at reasonable prices.



Scan the QR code and read more about the results from LCA.



Elevating Excellence | ConSet

501-9



501-9 | Slim and Stable

The smallest product can prove to be the biggest challenge. At ConSet we made our first small height adjustable pedestal table in 1999, and we quickly came to understand that there is a difficult compromise when making a slim 1-column desk that still feels robust.

With the 501-9 we have found the perfect balance between the two.

The 501-9 is available in two versions:



- Wall-mounted for a space-saving solution.
- Freestanding with a sturdy base.

The freestanding versions can be combined with wheels or a battery so your ergonomic working position can be moved not just up or down, but from room to room.



Elevating Excellence | ConSet

501-19



501-19 | Versatile frame

501-19 Center(A) Sturdy and compact with a symmetrical design that allows access from all sides and the possibility for small tops.

501-19 Basic(B) The variation is excellent for grouping tables together. With 176 lbs as the maximum load it can be used with a variety of tabletops.

501-19 Design(C) Unique elegant style with an attractive crescent shaped base and again well suited to be arranged in groups.

501-19 Wall(D) Perfect for space saving. Options for multiple units to lift wall mounted benches are also available.

Option of wheels and rechargeable battery pack for ultimate flexibility. The 501-19 column and components can be purchased individually and up to 3 can be synchronized to lift your large or custom shaped tabletop.



Elevating Excellence | ConSet

501-20



Elevating Excellence | ConSet

501-20

501-20 | Nothing Unnecessary

The first from ConSet with slim profiles but with stability and function that you can trust to perform as it should.

The material consumption is minimized and produced with recycled materials and material that can further be recycled. This reduces CO2 emissions which is further enhanced by reduced weight and packaging.

A natural product for Scandinavian minimalism.



Elevating Excellence | ConSet 501-23

501-23 | Distinctive and strong

More steel yields more strength.
Maximum lift capacity is 386 lbs.

The design includes expandable support which accommodates larger tops and maximizes leg room.

The options to configure the desk are endless:

- Wall mount with the option to synchronize up to 3 columns at once.
- 3 legs in an L-shape, for plenty of workspace space.
- 3-legs in a straight line, great for meeting rooms.
- Standard 2 leg frame solution, simple and popular.

A well-constructed desk that can do, almost, anything.



Elevating Excellence | ConSet

501-23



Elevating Excellence | ConSet

501-33



Elevating Excellence | ConSet

501-33

501-33 | Efficient by Design

The difference between the tallest and shortest person in the world is great. Ideally the same desk could fit everyone both sitting and standing.

Technically it can be solved, but the solution would require an overconsumption of both materials and funds, so practical thinking is required.

We are all familiar with the 80/20 rule, it is the one expressed in EN 527-1, TYPE D.

The standard defines the dimensions of a sit/stand desk suitable for 80% of the adult European population.

The series 501-33 has these dimensions.

The 501-33 is a desk for professionals who also have a 80/20 mindset. It is quickly assembled because it is produced in 3 large modules, is simple in function and operation.

The desk will quickly become part of everyday life and will last for many years. As a total consideration, the 501-33 may be the least expensive of the series.



Elevating Excellence | ConSet

501-37

501-37 | Ergonomics for All

The 501-37 desks are special.


The height travels from 22 to 48 inches. It suits users who are petite and yes, of course, children too. The desks fit people from 4'7" in height both seated and standing, and at 48 inch maximum height it is perfectly suited for taller individuals. The frame can be used with tabletops 18 to 30 inches deep. The low height makes the desk well suited for casters, as it doesn't make the sitting position too high. The desk is available with 3 columns, either for L-configurations or a multi-screen setup.

Ansi/Bifma testing approvals are recognized worldwide as parameters of durability, strength and safety. The 501-37 is tested and approved according to ANSI/BIFMA x5.5-2014.

The frame is available in three different

colors; silver, black and white.

Choose from fixed widths or an expandable bracket for more flexibility.



Elevating Excellence | ConSet 501-37



Elevating Excellence | ConSet

501-43



501-43 | Superior


A table series that is available both as a regular desk and as a large corner table. The height travel is 27 inches and it moves from 24 to 51 inches. The tables in the series can lift 220 lbs.

The desk delivers more than the standard required on both travel and load capacity.

There are 60 color/size combinations, and the desk is available in both 2 and 3 leg configurations.

The foot has a unique and thorough design that contributes to moving the visual expression from fixture to furniture. The design has been around for some years and it just gets better.

The series is the second most expensive in our program. Design and performance cost a little more, but the value is there.



501-47 | Versatile & Stylish

A symmetric frame with centered T-legs.

The concept is specifically developed for meeting/conference tables. Can also be used as multi-purpose tables, dining or for office-work.













The table height will always fit perfectly to existing chairs and perhaps a new tabletop is not needed.

A high lifting capacity is standard to match large or thick tops.











Adjust the desk height to be comfortable or "raise" the meeting to bring new energy. Users claim that stand-up meetings are shorter and more efficient!



Technical specifications












Product photo * featured image	Dimensional drawing * featured image	Item no.	CO2e (kg)	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-19 8SW 501-19 8BW *	88 88	35 3/8 35 3/8 *	Silver Black	27-47	1.1	176	545
		501-19 8S060 501-19 8B060 *	103 103	23 5/8 23 5/8 *	Silver Black	27-47	1.1	176	654
		501-19 8S095 501-19 8B095 *	106 106	37 1/4 37 1/4 *	Silver Black	27-47	1.1	176	683
		501-19 8S120 501-19 8B120 *	122 122	47 1/8 47 1/8 *	Silver Black	27-47	1.1	176	776
		501-20 8W092 501-20 8W112 501-20 8W142 501-20 8W152 501-20 8W172 501-20 8B092 501-20 8B112 501-20 8B142 501-20 8B152 501-20 8B172 *	76 78 78 82 83 76 78 78 82 83	37 1/8 44 1/8 56 3/4 59 7/8 67 3/4 37 1/8 44 1/8 56 3/4 59 7/8 67 3/4 *	White White White White White Black Black Black Black Black	27-47	1.4	132	517
		501-20 8W112-152 501-20 8B112-152 *	83 83	44 1/8-59 7/8 44 1/8-59 7/8 *	White Black	27-47	1.4	132	543

Technical specifications

Product photo * featured image	Dimensional drawing * featured image	Item no.	CO2e (kg)	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-23 8S200	207	75 5/8	Silver	27-47	0.9	386	1146
		501-23 8B200 *	207	75 5/8 *	Black				
		501-23 8S190-190A	292	74 3/4	Silver	27-47	0.9	386	1610
		501-23 8B190-190A *	292	74 3/4 *	Black				
		501-33 8W082	83	32 1/4	White	27-47	1	176	626
		501-33 8W092	83	37 1/8	White				
		501-33 8W112	85	44 1/8	White				
		501-33 8W129	86	50 7/8	White				
		501-33 8W142	85	56 3/4	White				
		501-33 8W152	89	59 7/8	White				
		501-33 8W172	90	67 3/4	White				
		501-33 8S082	83	32 1/4	Silver				
		501-33 8S092	83	37 1/8	Silver				
		501-33 8S112	85	44 1/8	Silver				
		501-33 8S129	86	50 7/8	Silver				
		501-33 8S142	85	56 3/4	Silver				
		501-33 8S152	89	59 7/8	Silver				
		501-33 8S172	90	67 3/4	Silver				
		501-33 8B082	83	32 1/4	Black				
		501-33 8B092	83	37 1/8	Black				
		501-33 8B112	85	44 1/8	Black				
		501-33 8B129	86	50 7/8	Black				
		501-33 8B142	85	56 3/4	Black				
		501-33 8B152	89	59 7/8	Black				
		501-33 8B172 *	90	67 3/4 *	Black				
		501-33 8W112-152	90	44 1/8-59 7/8	White	27-47	1	176	652
		501-33 8S112-152	90	44 1/8-59 7/8	Silver				
		501-33 8B112-152 *	90	44 1/8-59 7/8 *	Black				
		501-37 8W082	95	32 1/4	White	22-48	1.2	220	695
		501-37 8W092	95	37 1/8	White				
		501-37 8W112	97	44 1/8	White				
		501-37 8W129	98	50 7/8	White				
		501-37 8W142	97	56 3/4	White				
		501-37 8W152	101	59 7/8	White				
		501-37 8W172	102	67 3/4	White				
		501-37 8S082	95	32 1/4	Silver				
		501-37 8S092	95	37 1/8	Silver				
		501-37 8S112	97	44 1/8	Silver				
		501-37 8S129	98	50 7/8	Silver				
		501-37 8S142	97	56 3/4	Silver				
		501-37 8S152	101	59 7/8	Silver				
		501-37 8S172	102	67 3/4	Silver				
		501-37 8B082	95	32 1/4	Black				
		501-37 8B092	95	37 1/8	Black				
		501-37 8B112	97	44 1/8	Black				
		501-37 8B129	98	50 7/8	Black				
		501-37 8B142	97	56 3/4	Black				
		501-37 8B152	101	59 7/8	Black				
		501-37 8B172 *	102	67 3/4 *	Black				











Elevating Excellence | ConSet Frames












Technical specifications

Product photo * featured image	Dimensional drawing * featured image	Item no.	CO2e (kg)	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
	 44 1/8" - 59 7/8" [112cm]-[152cm] 22" [56cm]	501-37 8W112-152	102	44 1/8-59 7/8	White	22-48	1.2	220	721
		501-37 8S112-152	102	44 1/8-59 7/8	Silver				
		501-37 8B112-152 *	102	44 1/8-59 7/8 *	Black				
	 22" 67 3/4" 18 7/8" 64 3/4"	501-37 8W142-115A	166	56 3/4	White	22-48	1.2	220	1181
		501-37 8W142-142A	168	56 3/4	White				
		501-37 8W172-115A	168	67 3/4	White				1197
		501-37 8W172-142A	170	67 3/4	White				
		501-37 8W172-172A	170	67 3/4	White				
		501-37 8S142-115A	166	56 3/4	Silver				1181
		501-37 8S142-142A	168	56 3/4	Silver				
		501-37 8S172-115A	168	67 3/4	Silver				1197
		501-37 8S172-142A	170	67 3/4	Silver				
		501-37 8S172-172A	170	67 3/4	Silver				
		501-37 8B142-115A	166	56 3/4	Black				1181
		501-37 8B142-142A	168	56 3/4	Black				
		501-37 8B172-115A	168	67 3/4	Black				1197
		501-37 8B172-142A	170	67 3/4	Black				
		501-37 8B172-172A *	170	67 3/4 *	Black				
	 22" 18 7/8" 59 7/8" 35 5/8"	501-37 8W112-091C	154	44 1/8	White	22-48	1.2	220	1073
		501-37 8W152-091C	156	59 7/8	White				1092
		501-37 8S112-091C	154	44 1/8	Silver				1073
		501-37 8S152-091C	156	59 7/8	Silver				1092
		501-37 8B112-091C	154	44 1/8	Black				1073
		501-37 8B152-091C *	156	59 7/8 *	Black				1092
	 67 3/4" [172cm] 26 1/4" [67cm]	501-43 8S082	91	32 1/4	Silver	26-50	1.2	220	898
		501-43 8S092	91	37 1/8	Silver				
		501-43 8S112	93	44 1/8	Silver				
		501-43 8S129	94	50 7/8	Silver				
		501-43 8S142	93	56 3/4	Silver				
		501-43 8S152	97	59 7/8	Silver				
		501-43 8S172 *	98	67 3/4 *	Silver				
	44 1/8" - 59 7/8" [112cm]-[152cm] 26 1/4" [67cm]	501-43 8S112-152 *	98	44 1/8-59 7/8 *	Silver	26-50	1.2	220	924
	 22" 67 3/4" 18 7/8" 64 3/4"	501-43 8S142-141A	169	56 3/4	Silver	26-50	1.2	198	1413
		501-43 8S172-171A *	169	67 3/4 *	Silver				

Elevating Excellence | ConSet Frames



















Technical specifications

Product photo * featured image	Dimensional drawing * featured image	Item no.	CO2e (kg)	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-47 8W142	90	56 3/4	White	27-47		330	701
		501-47 8W152	94	59 7/8	White				
		501-47 8W172 *	95	67 3/4 *	White				
		501-49 8W082	97	33 1/8	White	26-50	1.2	220	771
		501-49 8W092	97	37 1/8	White				
		501-49 8W112	99	45	White				
		501-49 8W129	100	51 5/8	White				
		501-49 8W142	99	56 3/4	White				
		501-49 8W152	103	60 3/4	White				
		501-49 8W172	104	68 5/8	White				
		501-49 8S082	97	33 1/8	Silver				
		501-49 8S092	97	37 1/8	Silver				
		501-49 8S112	99	45	Silver				
		501-49 8S129	100	51 5/8	Silver				
		501-49 8S142	99	56 3/4	Silver				
		501-49 8S152	103	60 3/4	Silver				
		501-49 8S172	104	68 5/8	Silver				
		501-49 8B082	97	33 1/8	Black				
		501-49 8B092	97	37 1/8	Black				
		501-49 8B112	99	45	Black				
		501-49 8B129	100	51 5/8	Black				
		501-49 8B142	99	56 3/4	Black				
		501-49 8B152	103	60 3/4	Black				
		501-49 8B172 *	104	68 5/8 *	Black				
		501-49 8W112-152	104	45-60 3/4	White	26-50	1.2	220	797
		501-49 8S112-152	104	45-60 3/4	Silver				
		501-49 8B112-152 *	104	45-60 3/4 *	Black				
		501-9 8W080 *	90	31 1/4 *	White	28-47	1.4	66	582
		501-9 8WW01 *	53	21 1/4 *	White	28-47	1.4	66	470

Item no.	CO2e (kg)	Beech mel.	Walnut mel.	White mel.	Maple mel.	Item no.	CO2e (kg)	Beech mel.	Walnut mel.	White mel.	Maple mel.
080-60S3						140H3					
	6	122	122	122	N/A		17	N/A	172	N/A	172
100-60S3						150-60S3					
	7	N/A	136	N/A	N/A		10	N/A	123	N/A	162
100-80S3						150-80S3					
	9	149	149	149	N/A		13	N/A	146	N/A	200
117H3						180-60S3					
	9	N/A	149	N/A	149		12	N/A	126	N/A	126
120-60S3						180-80S3					
	8	N/A	161	N/A	161		16	N/A	196	N/A	N/A
120-80S3											
	11	190	190	190	190						

Elevating Excellence | ConSet

Accessories

Product photo	Dimensional drawing	CO2e (kg)		Item no.	Price (\$)
		4	Programmable handset	139250	126
		1	Pen-drawer	440-1	66
		3	Castorset, 501-(37,19)	501-19 HXXX	71
		2	501-19 - Manuel tilt full top	501-19 V-HEL	110
		17	Universal cable-tray, Black	501-XX CB096-166	68
		17	Universal cable-tray, White	501-XX CW096-166	68
		5	Castorset, 501-37, 501-9	501-XX HXX1	88
		4	Castorset, 501-33	501-XX HXXX	84
		20	Battery pack, ConSet Frame	BAT-24-1,7	192

STRENGTH AND STABILITY

Stability means everything when you're choosing a desk. Every height adjustable desk from ConSet is made with quality materials and meet both EU and Danish working-environment demands for a flexible and ergonomic workplace.

A height adjustable desk must work everyday and be easy to use for everyone. You can place your office equipment anywhere on a ConSet desk, and it will lift evenly and safely, even if the load is not loaded evenly. This unbeatable dependability is due to ConSet's one-motor-system. The operation is simple, no unnecessary complexity, just push the arrows for up or down on the user panel.

The total load on the desk frame must always be within the maximum working load that is specified for each ConSet product.

ONE MOTOR THAT DOES IT ALL

The one motor system and the simple mechanics that surround it, is the heart of a ConSet height adjustable desk. It ensures calm and gentle movements when you wish to move the table up or down and it ensures that the tabletop is always evenly adjusted.

- Real mechanics
- Real lifting capacity
- Less use of electronics
- Improved product lifetime

WORKING ENVIRONMENT

A ConSet desk will improve ergonomics for its users – and hopefully improve job satisfaction.

All ConSet tabletops are low emission E0(EN 717-1), so the formaldehyde emission is as small as possible, and poses no risk at all to users of the desk.

ConSet desks also have Clean Air GOLD certification.



Frames

Black (RAL 9004)



Silver (RAL 9006)



White (RAL 9016)



CLIMATE CONSCIOUSNESS

At ConSet we know it is important to minimize environmental impacts. We want to take responsibility for ensuring that our products are made respecting the environment. We do this in several ways:

- Life cycle assessment (LCA), in accordance with EN14040, EN14044 and EN14071 as a tool for targeted qualified improvements.
- CO2 emission calculations on all models.
- All electronic equipment meets RoHS framework for the reduction of hazardous substances in electronics.
- Through Elretur(Denmark) we ensure that electronic waste is managed environmentally through WEEE directive.
- The EUTR(EU timber regulation) is the law of the EU and will later be replaced by EUDR. ConSet wood products that are not imported, exported to the EU are not treated differently.

CE-MARKING AND PRODUCT APPROVALS

All ConSet height adjustable desk frames are CE marked in collaboration with the Technological institute in Denmark. CE-marking ensures that the producer has considered all security risks.

- EN 527-1/2: Dimensions / mechanical safety requirements methods of test for the determination of Stability and strength of the structure.
- DS/EN 12720-21-22: Furniture assessment of surface resistance to cold liquids wet and dry heats.

ConSet - A BRAND FROM SCANDINAVIA

ConSet was founded in 2000 in Denmark (Scandinavia) with the basic philosophy that ergonomics should not be expensive. We began to develop and manufacture high quality, electric height adjustable desk and made them affordable so more people could experience the benefits of sit-stand desks. The company has succeeded well and now has distribution and subsidiaries throughout the world.

Tops


Beech melamine



Walnut melamine



White melamine



Maple melamine



Combinations

Frames	Tops	080-60S3	100-60S3	100-80S3	117H3	120-60S3	120-80S3	140H3	150-60S3	150-80S3	180-60S3	180-80S3	150-60S3 + 080-60S3	150-60S3 + 100-60S3	150-80S3 + 070-60S3	150-80S3 + 080-60S3	150-80S3 + 100-60S3	180-60S3 + 120-60S3	180-80S3 + 100-60S3		
501-19 8X060		•	•																		
501-19 8X095				•	•		•	•													
501-19 8X120					•	•	•	•													
501-20 8X092				•																	
501-20 8X112							•														
501-20 8X142										•											
501-20 8X172												•									
501-23 8X200										•		•									
501-33 8X092				•																	
501-33 8X112							•														
501-33 8X142										•											
501-33 8X172												•									
501-37 8X112						•	•														
501-37 8X142									•	•											
501-37 8X142-115A													•								
501-37 8X142-142A														•		•					
501-37 8X172											•	•									
501-37 8X172-172A																		•			
501-43 8X092				•																	
501-43 8X112							•														
501-43 8X142										•											
501-43 8X142-141A															•						
501-43 8X172												•									
501-43 8X172-171A																			•		
501-47 8X142										•											
501-47 8X172												•									
501-49 8X112							•														
501-49 8X142										•											
501-49 8X172												•									
501-9 8X080		•			•																
501-9 8XW01		•																			



ConSet America
PO Box 1216
1089A East Street
Pittsboro
NC 27312
USA

Phone: 800-293-9051 or 919-542-6145

info@conset.us
www.conset.us

ConSet America