

Series 501-37





Recommended Base Application



501-37, Striking open design and exceptional pricing.

The super reliable 3 stage frame is tested and approved to comply with ANSI / Bifma x5.5-2014. With deep stock and huge flexibility it all adds up to the best value proposition on the market.

View links in PDF for more information.



<p>36" 24"</p> <ul style="list-style-type: none"> 501-37 8B 082 501-37 8S 082 501-37 8W 082 	<p>42" 24"</p> <ul style="list-style-type: none"> 501-37 8B 092 501-37 8S 092 501-37 8W 092 	<p>48" 24"</p> <ul style="list-style-type: none"> 501-37 8B 112 501-37 8S 112 501-37 8W 112 	<p>54" 24"</p> <ul style="list-style-type: none"> 501-37 8B 129 501-37 8S 129 501-37 8W 129
<p>36" 30"</p> <ul style="list-style-type: none"> 501-37 8B 082 501-37 8S 082 501-37 8W 082 	<p>42" 30"</p> <ul style="list-style-type: none"> 501-37 8B 092 501-37 8S 092 501-37 8W 092 	<p>48" 30"</p> <ul style="list-style-type: none"> 501-37 8B 112 501-37 8S 112 501-37 8W 112 	<p>54" 30"</p> <ul style="list-style-type: none"> 501-37 8B 129 501-37 8S 129 501-37 8W 129
<p>60" 24"</p> <ul style="list-style-type: none"> 501-37 8B 142 501-37 8S 142 501-37 8W 142 	<p>66" 24"</p> <ul style="list-style-type: none"> 501-37 8B 152 501-37 8S 152 501-37 8W 152 	<p>72" 24"</p> <ul style="list-style-type: none"> 501-37 8B 172 501-37 8S 172 501-37 8W 172 	<p>84" 24"</p> <ul style="list-style-type: none"> 501-37 8B 172 501-37 8S 172 501-37 8W 172
<p>60" 30"</p> <ul style="list-style-type: none"> 501-37 8B 142 501-37 8S 142 501-37 8W 142 	<p>66" 30"</p> <ul style="list-style-type: none"> 501-37 8B 152 501-37 8S 152 501-37 8W 152 	<p>72" 30"</p> <ul style="list-style-type: none"> 501-37 8B 172 501-37 8S 172 501-37 8W 172 	<p>84" 30"</p> <ul style="list-style-type: none"> 501-37 8B 172 501-37 8S 172 501-37 8W 172

Series 501-37



Recommended Base Application



501-37, Striking open design and exceptional pricing.

The super reliable 3 stage frame is tested and approved to comply with ANSI / Bifma x5.5-2014. With deep stock and huge flexibility it all adds up to the best value proposition on the market.

View links in PDF for more information.



<p>36" 24"</p>	<p>42" 24"</p>	<p>48" 24"</p>	
<ul style="list-style-type: none"> 501-37 8B 092 501-37 8S 092 501-37 8W 092 	<ul style="list-style-type: none"> 501-37 8B 112 501-37 8S 112 501-37 8W 112 	<ul style="list-style-type: none"> 501-37 8B 152-091C 501-37 8S 152-091C 501-37 8W 152-091C 	
<p>36" 30"</p>	<p>42" 30"</p>	<p>48" 30"</p>	<p>48" 24"</p>
<ul style="list-style-type: none"> 501-37 8B 092 501-37 8S 092 501-37 8W 092 	<ul style="list-style-type: none"> 501-37 8B 112 501-37 8S 112 501-37 8W 112 	<ul style="list-style-type: none"> 501-37 8B 152-091C 501-37 8S 152-091C 501-37 8W 152-091C 	<ul style="list-style-type: none"> 501-37 8B 112-091C 501-37 8S 112-091C 501-37 8W 112-091C

Series 501-37






Recommended Base Application




501-37, Striking open design and exceptional pricing.

The super reliable 3 stage frame is tested and approved to comply with ANSI / Bifma x5.5-2014. With deep stock and huge flexibility it all adds up to the best value proposition on the market.


View links in PDF for more information.




- 501-37 8B 142-142A**
- 501-37 8S 142-142A**
- 501-37 8W 142-142A**



- 501-37 8B 142-142A**
- 501-37 8S 142-142A**
- 501-37 8W 142-142A**



- 501-37 8B 142-142A**
- 501-37 8S 142-142A**
- 501-37 8W 142-142A**



- 501-37 8B 142-142A**
- 501-37 8S 142-142A**
- 501-37 8W 142-142A**



Series 501-37




Recommended Base Application




501-37, Striking open design and exceptional pricing.

The super reliable 3 stage frame is tested and approved to comply with ANSI / Bifma x5.5-2014. With deep stock and huge flexibility it all adds up to the best value proposition on the market.


View links in PDF for more information.




- 501-37 8B 172-172A**
- 501-37 8S 172-172A**
- 501-37 8W 172-172A**



- 501-37 8B 172-172A**
- 501-37 8S 172-172A**
- 501-37 8W 172-172A**



- 501-37 8B 172-172A**
- 501-37 8S 172-172A**
- 501-37 8W 172-172A**



- 501-37 8B 172-172A**
- 501-37 8S 172-172A**
- 501-37 8W 172-172A**



Series 501-37






Recommended Base Application




501-37, Striking open design and exceptional pricing.

The super reliable 3 stage frame is tested and approved to comply with ANSI / Bifma x5.5-2014. With deep stock and huge flexibility it all adds up to the best value proposition on the market.


View links in PDF for more information.




- 501-37 8B 172-172A**
- 501-37 8S 172-172A**
- 501-37 8W 172-172A**



- 501-37 8B 172-172A**
- 501-37 8S 172-172A**
- 501-37 8W 172-172A**



- 501-37 8B 172-172A**
- 501-37 8S 172-172A**
- 501-37 8W 172-172A**



- 501-37 8B 172-172A**
- 501-37 8S 172-172A**
- 501-37 8W 172-172A**

Series 501-37








Recommended Base Application



501-37, Striking open design and exceptional pricing.



The super reliable 3 stage frame is tested and approved to comply with ANSI / Bifma x5.5-2014. With deep stock and huge flexibility it all adds up to the best value proposition on the market.

View links in PDF for more information.



- 501-37 8B 142-115A**
- 501-37 8S 142-115A**
- 501-37 8W 142-115A**

- 501-37 8B 142-115A**
- 501-37 8S 142-115A**
- 501-37 8W 142-115A**



- 501-37 8B 142-115A**
- 501-37 8S 142-115A**
- 501-37 8W 142-115A**

- 501-37 8B 142-115A**
- 501-37 8S 142-115A**
- 501-37 8W 142-115A**

Series 501-37







Recommended Base Application



501-37, Striking open design and exceptional pricing.



The super reliable 3 stage frame is tested and approved to comply with ANSI / Bifma x5.5-2014. With deep stock and huge flexibility it all adds up to the best value proposition on the market.

View links in PDF for more information.



- 501-37 8B 172-115A**
- 501-37 8S 172-115A**
- 501-37 8W 172-115A**

- 501-37 8B 172-115A**
- 501-37 8S 172-115A**
- 501-37 8W 172-115A**



- 501-37 8B 172-115A**
- 501-37 8S 172-115A**
- 501-37 8W 172-115A**

- 501-37 8B 172-115A**
- 501-37 8S 172-115A**
- 501-37 8W 172-115A**

Series 501-37







Recommended Base Application




501-37, Striking open design and exceptional pricing.

The super reliable 3 stage frame is tested and approved to comply with ANSI / Bifma x5.5-2014. With deep stock and huge flexibility it all adds up to the best value proposition on the market.


View links in PDF for more information.




- 501-37 8B 172-115A**
- 501-37 8S 172-115A**
- 501-37 8W 172-115A**



- 501-37 8B 172-115A**
- 501-37 8S 172-115A**
- 501-37 8W 172-115A**



- 501-37 8B 172-115A**
- 501-37 8S 172-115A**
- 501-37 8W 172-115A**



- 501-37 8B 172-115A**
- 501-37 8S 172-115A**
- 501-37 8W 172-115A**